



Nor-Lake Walk-Ins

The Ultimate In Walk-In Design



Quality Refrigeration Since 1947

Nor-Lake Incorporated

727 Second Street • Hudson, WI 54016 • 800-955-5253 • fax: 715-386-4291 • www.norlake.com



FineLine Walk-In

Custom Built To Your Specifications

- Cooler, freezer, multiple compartments and warehouse buildings
- Specify ANY size, special shape, special angles, glass doors, color, metal and finish
- Deadbolt locking handle
- Spring actuated door closer
- Digital thermometer
- Heavy duty long strap hinges
- 15 year panel warranty

Kold Locker Walk-In

Same Day Shipment!

- Cooler, freezer or combination cooler/freezer models
- Exclusive Capsule Pak™ refrigeration system
- Flush coil design provides 100% usable interior space.
- Automatic condensate vaporizer – no drain line required on indoor units
- Sizes from 3'6" x 6' to 8' x 20'
- Temperatures: 35°F to 38°F, -10°F, -20°F
- 15 year panel warranty



***All panels 4" CFC free and HCFC free polyurethane**



Fast Trak Walk-Ins

- Cooler, freezer or combination cooler/freezer models
- Available widths of 6' to 12'
- Heights: 7'7" & 8'7" with floor; 7'4" & 8'4" floorless
- Split-Pak™ Pre-Assembled Remote Refrigeration Systems in stock for 5 day shipment
- Indoor or outdoor models
- 15 year panel warranty



**With Floor/Less Floor
Combinations with Interior Ramp
Available for 10 Day Shipment**

- Unlimited lengths
- Available in widths of 6', 7', 8', 9', 10', 11' & 12'
- Heights: 7'7" & 8'7"



- Split-Pak™ Pre-Assembled Remote Refrigeration Systems in stock for 5 day shipment
- Indoor and outdoor models
- 15 year panel warranty

ane foamed-in-place insulation. 5" panels optional.

High Density Rail Walk-Ins

Nor-Lake's high density rail construction is the perfect application for retail and warehouse refrigeration. The design offers many features and provides a larger amount of refrigerated square footage for the price.

- Hard rail construction using high density foam
- 26 ga. stucco embossed galvalum
- Coolers, freezers and combination coolers/freezers
- Interior floor is .10 thick smooth aluminum
- Panels feature cam-lock construction
- Cam lift hinges
- Key door with safety release
- Solar power digital thermometer
- Pilot light and switch
- Foamed-in-place panels
- 4", 5" & 5 1/2" panel thickness
- NSF & UL listed



Shelving Kits

- Quick, easy assembly
- Flexible shelf adjustments – 2" increments
- Durable shelves
- Green Kote™ special epoxy coated finish provides extra protection from acidic foods

